

WORKTOPS

FOR KITCHENS AND BATHROOMS

DESK® FORM

kitchen worktops



WORKTOPS
FOR KITCHENS AND BATHROOMS

DESK® FORM
kitchen worktops

WORKTOPS
FOR KITCHENS AND BATHROOMS



DESK® FORM

kitchen worktops



WELCOME TO DESK-FORM

The DESK-FORM joint-stock company is a leading European manufacturer of made-to-measure kitchen and other worktops. We have unique technology for gluing sinks to the underside of a worktop, making the worktop easy to clean and imparting it with an exclusive appearance. The company also manufactures tables and other accessories according to the specific requirements of customers.

We supply our products to customers all over Europe, who expect the latest trends and who appreciate our determination to always remain one step ahead. We consider kitchens and bathrooms to be two of the most important places in your home. We emphasise quality and design. We are aware of the fact that a worktop is the dominant feature of your kitchen.

We offer our customers a broad range of materials, including laminates, solid wood, acrylate, compact laminate, engineered stone, natural stone, and ceramics. We have an installation team and our own means of transport, and our technicians measure and install directly in your home. With this offer, we are able to make any of our customers' visions come true. We also provide excellent customer care and sales support.

We meet the most stringent quality criteria and are certified under FSC.


The configurator and contact form available at www.deskform.com ensure that



Laminate



Solid wood



Compact laminate



Acrylate



Engineered stone



Natural stone



Ceramics



Sinks and washbasins

LAMINATE



Laminate kitchen worktops

Laminate is a material commonly used for kitchen worktops with a relatively high resistance to abrasion. We offer a wide range of patterns and colours.

Composition: This material is composed of multiple layers of decorative contact paper interspersed with resin then compressed under high pressure (so-called high-pressure laminate).

Advantages: Our laminate worktops are fitted with a laminate front edge, as well as a rounded underside for insulation against steam (e.g. from a dishwasher). The laminate layer is at least 0.7 mm, providing a durable surface crucial for successfully gluing the sink to the underside of the worktop.

Laminate worktops are available in the following sizes:

Width: 50–1250 mm
Length: 150–4000 mm

Measurement and installation of kitchen worktops:

- precise measurement of worktops and backsplashes
- delivery to the place of installation
- professional installation







White - 0103-CR - standard
38mm, backsplash ***16mm***

Arctic White - 0179-XX - deluxe
38mm, ***REMMANT SALE***

White HG - 1104-HG - deluxe
28mm, 38mm, ***backsplash 16mm***

White snow - 4974-CR - standard
28mm, 38mm, ***backsplash 16mm***
REMMANT SALE



Granite White - 0483-SK
standard, 38mm



White stone eff. 5285-CR - standard
38mm, ***backsplash 16mm***




Light grey - 6080-CR - standard
28mm, ***backsplash 16mm***




Aluminium Effect - 0225-HP standard
38mm, ***backsplash 16mm***



Light Grey Stone Effect - 6405-CR
standard, 28mm, ***backsplash 16mm***



Dark Grey - 0137-CR - standard
28mm, ***backsplash 16mm***
REMMANT SALE




Dark grey eff linen - 0140-CR
standard, 28mm,
backsplash 16mm



Stone Effect Black - 0204-CR
standard, 28mm, 38mm,
backsplash 16mm, ***REMMANT SALE***



Mineral Effect Black - 0300-CR
standard, 38mm,
backsplash 16mm




Black marble eff. - 6402-CR
standard, 38mm, ***backsplash 16mm***



White Marble Effect - 6401-CR
standard, 28mm,
backsplash 16mm




Granic Vein - 3540-L2
deluxe, 38mm



Linen - 3660-AJ
deluxe, 38mm, ***REMMANT SALE***



Concrete - 3515-EM
deluxe, 38mm, ***REMMANT SALE***



Black Granite - 3344-60
standard, 38mm, ***REMMANT SALE***



Avalon - 3477-60
standard, 38mm




Tagus Slate - 3490-XX
deluxe, 38mm




Concrete Effect - 6404-LU
standard, 28mm, ***backsplash 16mm***



Grey Pieta Marble - K026
deluxe, 38mm



Everest - 0518-CR
standard, 38mm




Raje Black - 3505-XX
deluxe, 38mm




Brown Black - 6034-FP
standard, 28mm, ***backsplash 16mm***
REMMANT SALE



Black Brazil - 0210-CR
standard, 38mm



Black - 0276-CR - standard
28mm, 38mm,



Black Super matt - 190ASM
deluxe, 38mm,



Quabec Oak - 4312-WH
deluxe, 38mm



Ash eff - 7400-WO
standard, 28mm,
backsplash 16mm



Light Oak Effect - 6406-WO
standard, 28mm,
backsplash 16mm



Calgary Oak - 4384-EM
deluxe, 38mm




Light Walnut Effect - 7373-CR
standard, 38mm,
backsplash 16mm



Dark Oak Effect - 6403-WO
standard, 28mm,
backsplash 16mm



Walnut- 4447 EM
deluxe, 38mm



Block Board Nero - 4395-60
standard, 38mm



Walnut Effect - 0712-FP
standard, 38mm,
backsplash 16mm



Black Forest Oak - 4180-HW
deluxe, 38mm



Mid Grey matt - D95 TP
deluxe, 38mm



Carbonated wood - K016-SU
deluxe, 38mm

White Super matt - 4771
deluxe, 38mm

Light Grey matt - 0164 TP
deluxe, 38mm



Industrial Concrete - K028 SU
deluxe, 38mm



White Marble - K023 SU
deluxe, 38mm



Beige Pieta Marble - K024 SU
deluxe, 38mm



Rust - 2493 KS
deluxe, 38mm



Gold Ore - 4603 RM
deluxe, 38mm



Silver Ore - 4604 RM
deluxe, 38mm



Concrete - 0293-CR
standard, 38mm

DESK® FORM

kitchen worktops

SOLID WOOD





Solid wood kitchen worktops

A natural material made by gluing 40 mm strips of wood with a natural, water-resistant adhesive. We supply solid wood worktops sanded and treated on both sides with oil to protect them against moisture. We hold an FSC certificate, which guarantees that the wood originates from forests that are managed in a considerate and environmentally-friendly manner.

Every order includes a mounting kit containing: angles, screws, aluminium tape, sanding pad, and maintenance oil. If the order contains a joint, the mounting kit also includes connecting hardware, strips, key, and adhesive.

The price of a worktop always includes surface treatment with cold-pressed linseed oil. It is also possible to order surface treatment with oil wax or oil wax containing a hardener.

Solid wood worktops are available in the following sizes:

Width: 50-1250 mm
Length: 150–4000 mm
Maximum dimensions of backsplash: 4000 mm × 700 mm

Measurement and installation of kitchen worktops:

- precise measurement of worktops and backsplashes
- delivery to the place of installation
- professional installation

Surface treatment of solid wood worktops

To ensure that wood meets the stringent requirements imposed on a kitchen worktop, its surface should be suitably treated to ensure that it is moisture-proof. Today, both waxing and oiling are common surface treatment methods. They lend an original appearance to the worktop and protect the wood from external effects, i.e. excessive drying and sagging, while maintaining its colour.

We offer our customers four treatment options, each with its specific characteristics.



Oak Linseed Oil

Cold-pressed linseed oil

- included with worktops with no surface treatment
- uniform semi-gloss surface finish



Oak Oil Wax

Oil wax


- uniform semi-gloss surface finish
- highlights the wood structure, preserving the character of the wood



Oak White Oil Wax

White oil wax

- highlights the wood structure but with a lighter effect
- increased resistance to water and staining
- long-term surface treatment
- easy maintenance and repairs



OSMO Oak Oil Wax

OSMO Oil Wax with Hardener

- silky-matte surface finish
- highlights the wood structure, preserving the character of the wood
- high physical and chemical resistance
- long-lasting and easy to maintain
- based on natural oils and waxes



Birch Oil Wax
40mm, 80mm,
backsplash 18mm



Birch Linseed Oil
40mm, 80mm,
backsplash 18mm



Birch Oil Wax with Hardener
40mm, 80mm,
backsplash 18mm



Beech Oil Wax
40mm, 80mm,
backsplash 18mm



Beech Linseed Oil
40mm, 80mm,
backsplash 18mm



Beech Oil Wax with Hardener
40mm, 80mm,
backsplash 18mm



Ash Linseed Oil
40mm, 80mm,
backsplash 18mm




Ash Oil Wax
40mm, 80mm,
backsplash 18mm




Ash Oil Wax with Hardener
40mm, 80mm,
backsplash 18mm



Oak Oil Wax
30mm, 40mm, 60mm, 80mm,
backsplash 18mm



Oak Oil Wax with Hardener
30mm, 40mm, 60mm, 80mm,
backsplash 18mm



Oak Linseed Oil
30mm, 40mm, 60mm, 80mm,
backsplash 18mm



Oak White Oil Wax
30mm, 40mm, 60mm, 80mm,
backsplash 18mm



EU Walnut Oil Wax
40mm, 80mm,
backsplash 18mm




EU Walnut Linseed Oil
40mm, 80mm,
backsplash 18mm



AM Walnut Oil Wax with Hardener
40mm, 80mm,
backsplash 18mm



AM Walnut Oil Wax
40mm, 80mm,
backsplash 18mm



AM Walnut Linseed Oil
40mm, 80mm,
backsplash 18mm



EU Walnut Oil Wax with Hardener
40mm, 80mm,
backsplash 18mm

COMPACT LAMINATE



Compact-laminate kitchen worktops

A waterproof material that meets the highest requirements for hygiene and service life with a broad range of applications.

Composition: 12 mm material pressed from a large quantity of decorative and contact papers that are interspersed with resin and compressed under high pressure.

We offer the option to increase the thickness of the worktop to 40 mm using chipboard that can be edged according to the customer's requirements. Compact laminate can be used for applications where the look of a thin elegant worktop is desired, as well as for bathroom furniture. This material has become very popular with interior designers and architects.


Compact-laminate worktops are available in the following sizes:

Width: 50–1250 mm
Length: 150–3600 mm

Measurement and installation of kitchen worktops:

- precise measurement of worktops and backsplashes
- delivery to the place of installation
- professional installation

White - 1001
12mm, **backsplash 12mm**



Black - 1002
12mm, **backsplash 12mm**





Blanc absolut beihg
12mm, **backsplash 12mm**

Noir absolut roche
12mm, **backsplash 12mm**



Chene topia linimat
12mm, **backsplash 12mm**



Elina Cendre
12mm, **backsplash 12mm**



Noir absolut roche
12mm, **backsplash 12mm**



Pierre de lava roche
12mm, **backsplash 12mm**



Rouille granit
12mm, **backsplash 12mm**



Noir sideral touch
12mm, **backsplash 12mm**

DESK® FORM

kitchen worktops

ACRYLATE



Acrylic kitchen worktops

Thanks to its excellent properties and its ability to be shaped, acrylic offers wide options to designers and architects. A backsplash and sink can be made from the same material as the worktop to intensify a design appearance. It is also suitable for bathroom and laboratory environments as well as other public spaces.

Composition: A mixture of minerals, acrylate, and colour pigments.

Advantages: Acrylate is a material with the hardness of a stone worktop but that gives a velvety smooth and warm tactile sensation. It meets the highest requirements for hygiene and is waterproof.

After installation, the joints are not visible and the worktop looks like one unbroken unit, including the sink. It has unlimited shape options.

Easily and seamlessly repaired in the event of serious damage.

Kitchen worktops made of Acryl are available in the following sizes:

Width: 50–1225 mm
Length: 150–3000 mm

Measurement and installation of kitchen worktops:

- precise measurement of worktops and backsplashes
- delivery to the place of installation
- professional installation



Avonite White - F1-8016
12mm až 100mm, ***backsplash 12mm***

Avonite Kokoura - F1-9117
12 až 100mm, ***backsplash 12mm***



Avonite Cairo - F1-9130
12 až 100mm, ***backsplash 12mm***




Avonite Nordic - F1-9119
12 až 100mm, ***backsplash 12mm***





Avonite Black Lava - F1-9020
12 až 100mm, ***backsplash 12mm***
REMMANT SALE

DESK®
FORM
kitchen worktops

ENGINEERED STONE







Quartz kitchen worktops

This conglomerated material or engineered stone is a top-quality material developed specially for exacting conditions both indoors and outdoors.

Composition: Engineered stone is produced by mixing pigments, sand, and resin in a specific ratio.

As a rule, the ratio is 95% natural aggregates and sand to 5% resin. During production, the mass is then compressed under high pressure and high temperature. Thanks to this technology, the material has excellent technical properties:

– resistance to physical damage, chemicals, acids, and abrasion.

A sink from our offer can be glued to the underside of all our quartz worktops or glued so that they are flush.



Advantages:

- exclusive appearance
- polished surface
- great hardness and strength
- resistant to liquids and mechanical damage
- made-to-measure worktops
- long service life

Granite kitchen worktops are available in the following sizes:

Width: 50–1225 mm
Length: 150–3000 mm

Measurement and installation of kitchen worktops:

- precise measurement of worktops and backsplashes
- delivery to the place of installation
- professional installation



Marguina - QS-304
20mm, 40mm, backsplash ***12mm***



Noble Carrara - QS-006
20mm, 40mm, backsplash ***12mm***

ABSOLUTE White - QS-202
20mm, 40mm, backsplash ***12mm***



Crystal Quartz White - QS-002
20mm, 40mm, backsplash ***12mm***




Crystal Nevada - QS-001
20mm, 40mm, backsplash ***12mm***



Crystal Royal - QS-007
20mm, 40mm, backsplash ***12mm***



Harmonia Yosemite - QS-003
20mm, 40mm, backsplash ***12mm***



Calcata Gold - QS-301
20mm, 40mm, backsplash ***12mm***



V Michelangelo - QS-201
20mm, 40mm, backsplash ***12mm***




Serena - QS-303
20mm, 40mm, backsplash ***12mm***



Gobi Grey - QS-009
20mm, 40mm, backsplash ***12mm***




SUE CALYPSO JUM - QS-203
20mm, 40mm, backsplash ***12mm***




Crystal Anthracite - QS-010
20mm, 40mm, backsplash ***12mm***




Charcoal Soapstone - QS-302
20mm, 40mm, backsplash ***12mm***



Taurus Black - QS-008
20mm, 40mm, backsplash ***12mm***



Gobi Black - QS-101
20mm, 40mm, backsplash ***12mm***



Starlight Black - QS-102
20mm, 40mm, backsplash ***12mm***

DESK®
FORM
kitchen worktops

NATURAL STONE







Granite kitchen worktops

Granite worktops are made of a beautiful natural material that withstands ordinary use in the kitchen.

In addition, they are very easy to maintain. It is a natural material featuring high strength and hardness. Thanks to its polished surface, a worktop made of natural stone has a very exclusive appearance.

A sink from our offer can be glued to the underside of all our granite worktops or glued so that they are flush.

Advantages:

- exclusive appearance
- polished surface
- great hardness and strength
- resistant to liquids and mechanical damage
- made-to-measure worktops
- long service life

Granite kitchen worktops are available in the following sizes:

Width: 50–1225 mm
Length: 150–3000 mm

Measurement and installation of kitchen worktops:

- precise measurement of worktops and backsplashes
- delivery to the place of installation
- professional installation



Bianco Sardo - G-001
30mm




Nero Inpala - G-002
30mm




Nero Assoluto - G-003
30mm



Star Galaxy - G-004
30mm




Indian Black - GS-301
20mm, 40mm



Colonial White - GS-302
20mm, 40mm



Ice Blue - GS-303
20mm, 40mm



Black Beauty - GS-304
20mm, 40mm



Sensa Orinoco - GS-305
20mm, 40mm



CERAMIC





Ceramic worktops

Ceramics are one of the newest materials for the manufacture of kitchen worktops. Ceramic is a highly sophisticated mixture of natural materials, glass, and porcelain. Production takes place through the simulation of natural geological processes, conditions that produce high pressure and high temperatures for thousands of years. However, the man-made recreations of these processes are adapted in such a way that the final product meets both aesthetic and practical needs of modern households.

Advantages:

- high resistance to physical damage
- high resistance to liquids
- high resistance to UV radiation. It does not lose its colour.
- excellent resistance to temperatures up to 400 °C
- resistant to low temperatures
- a “maintenance-free” material

Ceramic kitchen worktops are available in the following sizes:

Width: 50–1225 mm
Length: 150–3000 mm

Measurement and installation of kitchen worktops:

- precise measurement of worktops and backsplashes
- delivery to the place of installation
- professional installation



Aura 15
20mm



Galema
20mm

Halo
20mm



Korus
20mm



Strato
20mm



Tritium
20mm

SINKS
AND WASHBASINS



FRANKE
BLANCO
BLANCO SILGRANIT
DESK - FORM

FRANKE



FRA-L01-000
Neptun NEX611 - left-hand drain
Min. width of mounting box: 500mm



FRA-R01-000
Neptun NEX611 - right-hand drain
Min. width of mounting box: 500mm



FRA-U11-000
Planar PPX210-58
Min. width of mounting box: 600mm



FRA-U12-000
Planar PPX210-78
Min. width of mounting box: 800mm



FRA-L13-000
Planar PPX211 - left-hand drain
Min. width of mounting box: 600mm



FRA-R13-000
Planar PPX211 - right-hand drain
Min. width of mounting box: 600mm



FRA-R14-000
Aquatik AQX624 - left-hand drain
Min. width of mounting box: 800mm



FRA-L15-000
Aquatik AQX654 - left-hand drain
Min. width of mounting box: 600mm



FRA-R15-000
Aquatik AQX654 - right-hand drain
Min. width of mounting box: 600mm



FRA-U16-000
Compact nova CNX660
Min. width of mounting box: 600mm



FRA-L17-000
Neptun NPX611 - left-hand drain
Min. width of mounting box: 400mm



FRA-P17-000
Neptun NPX611 - right-hand drain
Min. width of mounting box: 400mm



FRA-U18-000
GAX 110-45
Min. width of mounting box: 600mm

BLANCO



BLA-U11-000
Dana IF 514646
Min. width of mounting box: 600mm

BLANCO SILGRANIT



BLA-L11-000 - Antracit
Nova 6S - 935x500 - right-hand drain
Min. width of mounting box: 600mm



BLA-R11-000 - Antracit
Nova 6S - 935x500 - left-hand drain
Min. width of mounting box: 600mm



BLA-L12-000 - Antracit
Nova 6S - 935x500 - right-hand drain
Min. width of mounting box: 600mm



BLA-R12-000 - Alumet
Nova 6S - 935x500 - left-hand drain
Min. width of mounting box: 600mm



BLA-U13-000 - Antracit
Dalago 6 - 615x510
Min. width of mounting box: 800mm



BLA-U14-000 - Alumet
Dalago 6 - 615x510
Min. width of mounting box: 800mm



BLA-L15-000 - Antracit
Nova 6 - 615x500 - big on left side
Min. width of mounting box: 800mm



BLA-R15-000 - Antracit
Nova 6 - 615x500 - big on right side
Min. width of mounting box: 800mm



BLA-L16-000 - Alumet
Nova 6 - 615x500 - big on left side
Min. width of mounting box: 800mm



BLA-R16-000 - Alumet
Nova 6 - 615x500 - big on right side
Min. width of mounting box: 800mm

BLANCO SILGRANIT



BLA-L17-000 - Antracit
Zenar XL 6S - 100x510 - right-hand drain
Min. width of mounting box: 800mm



BLA-R17-000 - Antracit
Zenar XL 6S - 100x510 - left-hand drain
Min. width of mounting box: 800mm



BLA-L18-000 - Alumet
Zenar XL 6S - 100x510 - right-hand drain
Min. width of mounting box: 800mm



BLA-R18-000 - Alumet
Zenar XL 6S - 100x510 - left-hand drain
Min. width of mounting box: 800mm



BLA-L22-000 - White
Zenar XL 6S - 100x510 - right-hand drain
Min. width of mounting box: 800mm



BLA-R22-000 - White
Zenar XL 6S - 100x510 - left-hand drain
Min. width of mounting box: 800mm



BLA-L19-000 - White
Nova 6S - 935x500 - right-hand drain
Min. width of mounting box: 800mm



BLA-R19-000 - Antracit
Nova 6S - 935x500 - left-hand drain
Min. width of mounting box: 800mm

DESK - FORM



DFS-U01-000
ET11 – 1160x500x200
Min. width of mounting box: 800mm



DFS-U02-000
ET03 – 1000x490x205
Min. width of mounting box: 600mm



DFS-U03-000
ET01 – 1115x500x200
Min. width of mounting box: 800mm



DFS-U04-000
ET34 – 790x480
Min. width of mounting box: 800mm



DFS-U05-000
N51 Round
Min. width of mounting box: 600mm



DFS-U06-000
Square – 540x440
Min. width of mounting box: 600mm



DFS-U07-000
Square – 780x480
Min. width of mounting box: 800mm



DFS-U09-003
SR1001
Min. width of mounting box: 400mm



DFS-U09-004
SR1007
Min. width of mounting box: 600mm



DFS-U10-000
HÄLLVIKEN 1 boule
Min. width of mounting box: 600mm



DFS-U11-000
HÄLLVIKEN 1½ left-hand drain
Min. width of mounting box: 600mm



DFS-U12-000
NORRSJÖN 1 boule 54x44
Min. width of mounting box: 600mm

DESK - FORM



AVO-216-SP1
Sink 216 S Square 160x300 Steel bottom **PG1**
Min. width of mounting box: 400mm



AVO-233-SP1
Sink 233 S Square 330x400 Steel bottom **PG1**
Min. width of mounting box: 400mm



AVO-245-SP1
Sink 245 S Square 450x400 Steel bottom **PG1**
Min. width of mounting box: 600mm



AVO-216-SP2
Sink 216 S Square 160x300 Steel bottom **PG2**
Min. width of mounting box: 400mm



AVO-233-SP2
Sink 233 S Square 330x400 Steel bottom **PG2**
Min. width of mounting box: 400mm



AVO-245-SP2
Sink 245 S Square 450x400 Steel bottom **PG2**
Min. width of mounting box: 600mm



AVO-216-AP1
Sink 216 A Square 160x300 Avonite bottom **PG1**
Min. width of mounting box: 400mm



AVO-233-AP1
Sink 233 A Square 330x400 Avonite bottom **PG1**
Min. width of mounting box: 400mm



AVO-245-AP1
Sink 245 A Square 450x400 Avonite bottom **PG1**
Min. width of mounting box: 600mm



AVO-216-AP2
Sink 216 A Square 160x300 Avonite bottom **PG2**
Min. width of mounting box: 400mm



AVO-233-AP2
Sink 233 A Square 330x400 Avonite bottom **PG2**
Min. width of mounting box: 400mm



AVO-245-AP2
Sink 245 A Square 450x400 Avonite bottom **PG2**
Min. width of mounting box: 600mm



N01
N1, 5bowls 63x50
Min. width of mounting box: 600mm



N02
CPX 621
Min. width of mounting box: 800mm



N03
HDX 624
Min. width of mounting box: 800mm

DESK - FORM



N04
HDX 654
Min. width of mounting box: 600mm



N05
1BOWL49x49
Min. width of mounting box: 600mm



AVO-216-SP3k
Sink 216 S Square 160x300 Steel bottom
PG3- kokoura
Min. width of mounting box: 400mm



AVO-233-SP3k
Sink 233 S Square 330x400 Steel bottom
PG3- kokoura
Min. width of mounting box: 400mm



AVO-245-SP3k
Sink 245 S Square 450x400 Steel bottom
PG3- kokoura
Min. width of mounting box: 600mm



AVO-216-SP3n
Sink 216 S Square 160x300 Steel bottom
PG3 - nordic
Min. width of mounting box: 400mm



AVO-233-SP3n
Sink 233 S Square 330x400 Steel bottom
PG3 - nordic
Min. width of mounting box: 400mm



AVO-245-SP3n
Sink 245 S Square 450x400 Steel bottom
PG3 - nordic
Min. width of mounting box: 600mm



AVO-216-AP3k
Sink 216 A Square 160x300 Avonite bottom
PG3- kokoura
Min. width of mounting box: 400mm



AVO-233-AP3k
Sink 233 A Square 330x400 Avonite bottom
PG3- kokoura
Min. width of mounting box: 400mm



AVO-245-AP3k
Sink 245 A Square 450x400 Avonite bottom
PG3- kokoura
Min. width of mounting box: 600mm



AVO-216-AP3n
Sink 216 A Square 160x300 Avonite bottom
PG3 - nordic
Min. width of mounting box: 400mm



AVO-233-AP3n
Sink 233 A Square 330x400 Avonite bottom
PG3 - nordic
Min. width of mounting box: 400mm



AVO-245-AP3n
Sink 245 A Square 450x400 Avonite bottom
PG3 - nordic
Min. width of mounting box: 600mm

DESK®
FORM

kitchen worktops

CUSTOMER CARE DEPARTMENT: + 420 417 943 926
OFFICE: + 420 417 553 111
EMAIL: INFO@DESKFORM.COM

WWW.DESKFORM.COM